



Email: calcutta@acknitindia.com, safetygarment@acknitindia.com Website: www.acknitindia.com



# ACKNIT INDUSTRIES LIMITED An ISO 9001:2008 Certified Company

Ecostation, Block-BP, Plot No. 7, Sector-V 5Th Floor, Suit No. 504, Saltlake, Kolkata 700091. India Phone: +91 33 2267 5555, +91 33 2267 5577 Fax: +91 33 2267 5544

ACKNIT
INDUSTRIES
LIMITED
An 150 9001:2008 Certified



INDEX

01 About Us

02 Basic

08 Image

14 Reflective

20 Protective

26 Chef & Hospitals

34 Casual

**38** Fabric Specification

**40 Quality Control System** 





Formerly Known as Acknit Knitting Limited, incorporated in the year 1990, is an ISO 9001 - 2008 Public Limited Company, In a span of twenty of twenty three years of operations it is now one of the largest manufacturers and exporters of industrial gloves and garments.

Acknit is having three different manufacturing divisions near Kolkata, India via.

- Seamless Gloves Division Situated in Special Economic Zone (SEZ) manufacturing Seamless Gloves made of 100% Cotton, Poly / Cotton, Nylon, Kevlar, HPPE and other special cut resistant blended yarns etc., for cut lever 1 to 5., ACKNIT is having 3 coating facilities which produces PU Coating, Nitrile Coating & Layex Coated Gloves.
- Industrial Leather Products Division Acknit owns a full integrated setup backed up with its own tanning facilities for manufacturing Leather Gloves and special type of Leather Gloves of Kevlar / HPPE / Glass Yarns with leather stitch on the palm and at the back of the finger tips. of the fastest growing and leading exporters from India in a short span of time.
- Industrial Garments Division Manufacturing various types of Industrial Garments made of Cotton, Poly / Cotton, high visibility fabric with 3m reflective tape, heat resistant, Nomex and T-Shirt of all types. All the units are of international standards with sophisticated machinery and state of the art facilities having adequate production capacity to meet the growing market demands. The products are manufactured as per CE norms and well approved by the overseas customers. We are exporting our garments to European and Middle East countries regularly and it is a recognized export house by the government of India.

ACKNIT's policy is to produce high quality products of international standards in a very competitive prices and maintain delivery schedules strictly as per customer's requirement. It is constantly working towards achieving its mission.







# ACKNIT PROFESSIONAL WORKWEAR | BASIC

# BASIC ACKNIT PROFESSIONAL WORKWEAR

















Reflective

Piping

with

Zipper

# ACKNIT PROFESSIONAL WORKWEAR | IMAGE

# **ACK 109 TROUSERS WITH ADJUSTABLE LENGTH**

**FABRIC OPTION:** 100% COTTON / POLY COTTON/ COTTON POLY/POLY VISCOSE

**WEIGHT CAN OFFER:** 210, 240, 280, 300, 310 GSM

38, 40, 42, 44, 46, 48, 50...

S, M, L, XL, XXL...







**MULTIFUNCTIONAL** 

**ACK 110** 

**CRAFTSMAN TROUSERS** 

- Knee guard pocket option with poly oxford quoted fabric or nylon dupont<sup>®</sup> cordura
- Extra hanging pocket
- Key holder
- Double rule pocket with cordura reinforcement
- Double leg pocket with cordura reinforcement
- Knee pocket bag to hold
- Three needle feed of the arm stitches

FABRIC OPTION: 100% COTTON / POLY COTTON

**WEIGHT CAN OFFER:** 240, 280, 300, 310 GSM (DRILL/CANVAS/MATTY WEAVE)

SIZES: 38, 40, 42, 44, 46, 48, 50...

S, M, L, XL, XXL...

**COLOUR OPTION:** 










# ACKNIT PROFESSIONAL WORKWEAR | IMAGE

# IMAGE ACKNIT PROFESSIONAL WORKWEAR

















# ACK 407 OVERALL HIVIS (BICOLOUR) WITH DOUBLE ZIPPER

# **FABRIC OPTION:**

HIGH VIZ (80% POLYESTER/20% COTTON 285 GSM IN 4/1 SATEEN WEAVE) CONTRAST WITH 65% POLY/35% COTTON FABRIC

JACKET HIVIS (BICOLOUR)

HIGH VIZ (60% COTTON/40% COTTON 255 GSM TWILL) CONTRAST WITH 65% POLY/35% COTTON FABRIC

#### **SI7FS**

38, 40, 42, 44, 46, 48, 50...

S, M, L, XL, XXL...

### **COLOUR OPTION:**

With 5 cms reflective band (3M or non 3M as per customers requirement)









# **FABRIC OPTION:**

HIGH VIZ (80% POLYESTER/20% COTTON 285 GSM IN 4/1 SATEEN WEAVE) CONTRAST WITH 65% POLY/35% COTTON FABRIC

HIGH VIZ (60% COTTON/40% COTTON 255 GSM TWILL) CONTRAST WITH 65% POLY/35% COTTON FABRIC


#### SIZES

38, 40, 42, 44, 46, 48, 50...

S, M, L, XL, XXL...

### **COLOUR OPTION:**

With 7 cms reflective band (3m or non 3m as per customers requirement)









# ACK 409 OVERALL ANTISTATIC



FABRIC OPTION:
99% POLYESTER 1% ANTISTATIC EN 1149-1

**WEIGHT CAN OFFER:** 145 GSM

SI7FS.

38, 40, 42, 44, 46, 48, 50...

S, M, L, XL, XXL...

COLOUR OPTION:



# ACK 117 TROUSERS CAMOUFLAGE

FABRIC OPTION: 100% COTTON/65% POLYESTER 35% COTTON/ 70% COTTON 30% NYLON

WEIGHT CAN OFFER: 210 GSM

**SIZES:** 38, 40, 42, 44, 46, 48, 50...

S, M, L, XL, XXL...

COLOUR OPTION:
Camouflage/Rip Stop



ACK 214
JACKET
CAMOUFLAGE

# ACK 118 TROUSERS FLAME RETARDANT

Jacket, BIB & Overall also available









Pyrovatex ◆ Profiro ◆ Proban

WEIGHT CAN OFFER: 280, 310 GSM SIZES:

38, 40, 42, 44, 46, 48, 50...

S, M, L, XL, XXL...
COLOUR OPTION:













# **ACK 411 OVERALL MULTI FUNCTIONAL PROTECTION**

Trouser, BIB are also available











**FABRIC OPTION:** 55% MODACRILIC/40% COTTON/ 9% NYLON/1% BELTRON

**WEIGHT CAN OFFER:** 250, 330 GSM

38, 40, 42, 44, 46, 48, 50...

S, M, L, XL, XXL...

**COLOUR OPTION:** 

Reflective Tape: Aramid Band in single colour and Bicolour

Metal Zipper with FR treated or Aramid tape and FR treated or Aramid Sewing Thread



# ACK 410 **OVERALL NOMEX**



FABRIC OPTION: DUPONT<sup>TM</sup> IIIA -93% NOMEX/5% PARA ARAMID/2% ANTI STATIC

**WEIGHT CAN OFFER:** 150, 220 GSM

SIZES:

38, 40, 42, 44, 46, 48, 50... S, M, L, XL, XXL...

**COLOUR OPTION:** 



Reflective Tape: With Aramid reflective Band

Metal Zipper with FR treated or Aramid tape and FR treated or Aramid Sewing Thread

# ACK 412 **OVERALL ARC FLASH**









**FABRIC OPTION:** 93% META ARAMID/5% PARA ARAMID/2% ANTI STATIC

> **WEIGHT CAN OFFER:** 150, 200, 220 GSM

SIZES: 38, 40, 42, 44, 46, 48, 50...


> S, M, L, XL, XXL... **COLOUR OPTION:**



Reflective Tape: Aramid Band in single colour and Bicolour

Metal Zipper with FR treated or Aramid tape and FR treated or Aramid Sewing Thread















# ACKNIT PROFESSIONAL WORKWEAR | BASIC



ACK 121 HOSPITAL TROUSERS

FABRIC OPTION: POLY COTTON/100% COTTON

WEIGHT CAN OFFER: 210, 245

38, 40, 42, 44, 46, 48, 50...

S, M, L, XL, XXL...

COLOUR OPTION: WHITE/DYED










WEIGHT CAN OFFER: 210, 245

SIZES:

38, 40, 42, 44, 46, 48, 50... OR S, M, L, XL, XXL...

COLOUR OPTION: WHITE/DYED





# ACKNIT PROFESSIONAL WORKWEAR | BASIC

# ACK 124 DENIM

**TROUSERS** 

FABRIC OPTION: 100% COTTON/98% COTTON 2% ELASTANE

**WEIGHT CAN OFFER:** 11.5 TO 14.5 Oz

SIZES:

28, 30, 32, 34, 36, 40, 42...

**COLOUR OPTION:** 



With washing effects as Enzyme Wash, Stone Wash, Sand Blast, Sun Bleached, Fabric Dyed, Acid Wash, Natural Creases & Whiskers



FABRIC OPTION: 100% COTTON/98% COTTON 2% ELASTANE

WEIGHT CAN OFFER: 210, 245

SIZES:

28, 30, 32, 34, 36, 40, 42...

COLOUR OPTION:



# ACK 613 SHORTS

FABRIC OPTION: 100% COTTON/98% COTTON 2% ELASTANE/POLY COTTON

WEIGHT CAN OFFER: 210, 245

**SIZES:** S, M, L, XL...

**COLOUR OPTION:** 

OR CHECKED & DESIGNER, YARN DYED



# ACK 501 SHIRTS

FABRIC OPTION: 100% COTTON/98% COTTON 2% ELASTANE/POLY COTTON

**WEIGHT CAN OFFER:** 120, 150, 180

**SIZES:** S, M, L, XL...

**COLOUR OPTION:** 

FORMAL SINGLE COLOUR, CHECKED & DESIGNER, YARN DYED



# **BASIC** ACKNIT PROFESSIONAL WORKWEAR





# ACK 614 POLO SHIRTS

FABRIC OPTION: 100% COTTON/POLY COTTON/ COTTON POLY

WEIGHT CAN OFFER: 180, 210

SIZES:

S, M, L, XL...

**COLOUR OPTION:** 



OR MELANGE COLOURS

# ACK 615 T- SHIRTS

FABRIC OPTION: 100% COTTON/POLY COTTON/ COTTON POLY

WEIGHT CAN OFFER: 180, 210

SIZES: S, M, L, XL...

COLOUR OPTION:

COLOOK OF HON.

OR MELANGE COLOURS

# ACK 616 SWEAT SHIRTS d Elbow and Reinforce

With Poly Oxford Elbow and Reinforce Ment/Pocket at the Slleves With Hidden Zippers

**FABRIC OPTION:** 

100% COTTON/POLY COTTON /COTTON POLY (Fabric will be as French Terry or in side brushed as per customer specification)

**WEIGHT CAN OFFER:** 240, 260, 280, 300

**SIZES:** S, M, L, XL...

COLOUR OPTION:

OR MELANGE COLOURS





# ACKNIT PROFESSIONAL WORKWEAR

# **FABRIC SPECIFICATION**

FABRIC	COMPOSITION	GSM	COUNT	CONSTRUCTION	WEAVE	REMARKS
						REM/IIII
CT 120	100% COTTON	120	40x40	120x64	PLAIN	
CT 160	100% COTTON	160	40x2/20	103x44	OXFORD	
CT 180	100% COTTON	180	20x20	98x52	PLAIN	
CT 210	100% COTTON	210	20x20	108x52	3/1 TWILL	
CT 240	100% COTTON	240	16x12	98x44	2/1 TWILL	
CT 260	100% COTTON	260	12x10	91x46	2/1 TWILL	
CT 265	100% COTTON	260	20x16	132x60	3/1 TWILL	
CT 280	100% COTTON	280	16x12	112x56	3/1 TWILL	
CT 300	100% COTTON	300	10x10	76x46	2/2 TWILL	
CT 320	100% COTTON	310	10x10	76x46	MATTY	
CT 320	100% COTTON	320	8x8	72x38	3/1 TWILL	INSIDE BRUSHED
CT 340	100% COTTON	340	2/20x6	60x46	2/2 TWILL	
CL 205	98% COTTON 2% LYCRA	205	40Sx30s+30sCL	202x90	DOBBY RIB	
CL 235	98% COTTON 2% LYCRA	235	30Sx20s+20sCL	182x73	SATIN	
CL 265	98% COTTON 2% LYCRA	265	30Sx16CLY	190x66	2/1 TWILL	
PC 120	65% POLY ESTER 35% COTTON	120	40x40	120x64	PLAIN	
PC 150	65% POLY ESTER 35% COTTON	150	30x30	128x60	2/1 TWILL	
PC 210	65% POLY ESTER 35% COTTON	210	20x20	100x60	2/1 TWILL	
PC 245	65% POLY ESTER 35% COTTON	245	14x14	90x50	3/1 TWILL	
PC 310	65% POLY ESTER 35% COTTON	310	14x10	102x48	3/1 TWILL	
PC 285	80% POLYESTER 20% COTTON	285	300Dx300D+32'S		SATIN	HV (EN20471)
CP 245	60% COTTON 40% POLYESTER	245	200D POLYx10s OE	138x58	SATIN	HV (EN20471)
CP 260	60% COTTON 40% POLYESTER	265	30 SPUN POLY x10 OE	128x62	3/1 TWILL	
CP 150	60% COTTON 40% POLYESTER	150	2/50x2/50	88x60	PLAIN	
CP 200	60% COTTON 40% POLYESTER	200	20x20	96x60	2/1 TWILL	
CP 245	65% COTTON 35% POLYESTER	245	14x14	80x52	2/1 TWILL	
CP 310	65% COTTON 35% POLYESTER	310	14x10	102x52	2/2 TWILL	
CP 310	60% COTTON 40% POLYESTER	310	10x10	81x45	2/2 TWILL	

# ACKNIT PROFESSIONAL WORKWEAR



FABRIC	COMPOSITION	GSM	COUNT	CONSTRUCTION	WEAVE	REMARKS
CN 210	70% COTTON 30% NYLON	210	24x12	97x48	RIP STOP	CAMOUFLAG
CL 280	98% COTTON 2% LYCRA	280	20x14	124x54	MATTY/ CANVAS	
NY 230	100% NYLON	210	500Dx500D	54x44	PLAIN	WR (CORDURA)
PY 160	100% POLYESTER	160	300Dx300D		OXFORD	W/R, P/A coating
CT 235	100% COTTON	235		60x48	2/2 TWILL	HOUNSDTOOTH YARN DYED CHECK
CA 310	99% COTTON 1% ANTISTAIC	310		82x50	3/1 TWILL	FR TREATED-PYROVATEX
CT 325	100% COTTON	325		90x44	3/1 TWILL	FR TREATED-PROBAN
CT 310	100% COTTON	310		90x46	3/1 TWILL	FR TREATED-PROFIRO
CT 360	100% COTTON	360		92x52	4/1 SATIN	FR TREATED-PYROVATEX
MCNB 330	55% MODACRILIC 40% COTTON 9% NYLON 1% BELTRON	330	2/24RSx 2/24RS	76x70	2/1 TWILL	FR/ARC FLASH/HIGH VIS/ WELDING/ELECTRICAL ARC
MCNB 250	55% MODACRILIC 40% COTTON 9% NYLON 1% BELTRON	250	2/24RSx 2/24RS	68x42	2/1 TWILL	FR/ARC FLASH/HIGH VIS/ WELDING/ELECTRICAL ARC
CPA 300	79% COTTON 20% POLYESTER 1% ANTI STATIC	300		77x52	4/1 SATIN	CHEMICAL REPELENT/ FR/ANTI STATIC
MCKNA 250	49% MODACRILIC 42% COTTON 5% KEVLAR 3% NYLON 1% ANTI STATIC	250		90x56	RIB STOP	FR/ARC FLASH/HIGH VIS/ WELDING/ELECTRICAL ARC
NOMEX 150	IIIA - 93% NOMEX 5% PARA ARAMID 2% ANTI STATIC	150		72x45	TWILL	FR / ANTI STATIC
NOMEX 220	IIIA - 93% NOMEX 5% PARA ARAMID 2% ANTI STATIC	220		74x50	TWILL	FR / ANTI STATIC
MPA 150	93% META ARAMID 5% PARA ARAMID 2% ANTI STATIC	150	36s/2	60x50	PLAIN	FR/ARC FLASH/ ANTI STATIC
MPA 200	93% META ARAMID 5% PARA ARAMID 2% ANTI STATIC	200	36s/2	70x53	TWILL	FR/ARC FLASH/ ANTI STATIC
MPA 220	93% META ARAMID 5% PARA ARAMID 2% ANTI STATIC	220	30s/2	72x55	TWILL	FR/ARC FLASH/ ANTI STATIC



EN ISO 11612

HEAT &
FLAME PROTECTION





WELDING PROTECTION





EN 1149-5 ANTI STATIC



EN 13034 LIQUID CHEMICAL SPLASH



EN 61482-1-2 ELECTRIC ARC



EN 343 WATER RESISTANT



EN ISO 20471 HIGH VISIBILITY



EN ISO 15797 INDUSTRIAL LAUNDRY



# **ACKNIT PROFESSIONAL WORKWEAR**

# **QUALITY CONTROL SYSTEM**

Quality means customer needs is to be satisfied. Failure to maintain an adequate quality standard can therefore be unsuccessful.

In the garment industry quality control is practiced right from the initial stage of sourcing raw materials to the stage of final finished garment. For textile and apparel industry product quality is calculated in terms of quality and standard of fibres, yarns, fabric construction, colour fastness, surface designs and the final finished garment products. However quality expectations for export are related to the type of customer segments and the retail outlets.

Quality control and standards are one of the most important aspects of the content of any job and therefore a major factor in training.

# Objectives

- To maximize the production of goods within the specified tolerances correctly the first time.
- To achieve a satisfactory design of the fabric or garment in relation to the level of choice in design, styles, colours, suitability of components and fitness of product for the market.

# Approach

- Itemize the variables that occur in fabric and garment production in order to provide a complete specification.
- Develop a specification in a number of parts or sections to ensure that all design and production staff has a clear idea as to what is needed.
- Establish acceptable working tolerances in relation to all values on the specification.
- Establish fault rate recording systems.
- Improve technical understanding of the product including,
- Sewing problems.
- Causes and prevention of seam breakdown.

# Product Manual/pre production sample

The step-by-step procedure for controlling the quality of garments begins with the Product Manual with counter samples and before starting the production it must be approved with pre production samples from our customer. When a pre production sample is developed for a client, a detailed product manual is prepared. We send 2 samples in each article with the detailed product manual (measurements part and sketches), as we prefer to get 1 sample return with the approval (stamped and signed) from our customer.









Amongst other things it includes the detailed description of the garment measurements of various sizes, list of accessories, packing details, a sketch of garment with special emphasis on the critical & complicated parts, label designs / bar coding, prints / embroidery design if any.

# ■ Patterns - Gerber Auto-Cad System

We are using Gerber auto cad system for Patterns for all sizes, if the same has not been supplied by our clients. Most of our clients send to us the patterns by e-mail as .dxf and .rull. The Patterns in Gerber Auto Cad ensures accuracy in measurement and shape.

# **■** Fabric Testing

Stringent Fabric Testing for various parameters such as shrinkage, color fastness, color matching according to the customer's requirements for each lot of fabric received is carefully conducted. In case the deviation is more than the tolerance, a prior approval is sought from client.

# Accessories QC

For each of the accessories, we have defined our own quality parameters in details. The accessories are checked on these parameters before they are accepted in the warehouse.

# **■** Production Sample

Once we have the approval on our pre production samples and get it from our customers we make production samples for our each units for bulk production. The samples we send to our units for supervisor along with the detailed product manual.

**Checking process** - Line Checking, Finishing Checking, garments out from lock and before finishing, beffore we start the iron and packing, after packing and then we made the inspection before receive them in our store for dispatch.

**Inspection of packing**- Before the dispatches by sea or air we check each boxes the weight relating to the same size of each item are compared to ensure that the number of garments packed in each box is correct.









